

## SP510透過率

| 波長<br>(nm) | 透過率<br>(%) | 波長<br>(nm) | 透過率<br>(%) | 波長<br>(nm) | 透過率<br>(%) | 波長<br>(nm) | 透過率<br>(%) | 波長<br>(nm) | 透過率<br>(%) |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1100       | 78.82      | 930        | 81.61      | 760        | 0.60       | 590        | 0.07       | 420        | 92.80      |
| 1090       | 82.68      | 920        | 77.10      | 750        | 0.18       | 580        | 0.04       | 410        | 92.44      |
| 1080       | 87.70      | 910        | 79.56      | 740        | 0.06       | 570        | 0.07       | 400        | 91.34      |
| 1070       | 90.24      | 900        | 85.19      | 730        | 0.05       | 560        | 0.09       | 390        | 92.31      |
| 1060       | 88.38      | 890        | 80.55      | 720        | 0.07       | 550        | 0.10       | 380        | 88.05      |
| 1050       | 83.61      | 880        | 64.69      | 710        | 0.15       | 540        | 0.28       | 370        | 83.07      |
| 1040       | 79.70      | 870        | 53.42      | 700        | 0.08       | 530        | 0.91       | 360        | 86.08      |
| 1030       | 79.96      | 860        | 61.43      | 690        | 0.03       | 520        | 4.28       | 350        | 86.09      |
| 1020       | 84.97      | 850        | 71.82      | 680        | 0.03       | 510        | 30.98      | 340        | 84.73      |
| 1010       | 90.40      | 840        | 73.28      | 670        | 0.14       | 500        | 78.92      | 330        | 78.68      |
| 1000       | 90.21      | 830        | 68.29      | 660        | 0.30       | 490        | 88.46      | 320        | 62.24      |
| 990        | 82.79      | 820        | 54.48      | 650        | 0.06       | 480        | 90.23      | 310        | 22.54      |
| 980        | 73.57      | 810        | 29.26      | 640        | 0.05       | 470        | 90.50      | 300        | 44.00      |
| 970        | 69.39      | 800        | 8.98       | 630        | 0.27       | 460        | 90.34      | 290        | 13.22      |
| 960        | 72.82      | 790        | 2.44       | 620        | 0.19       | 450        | 91.24      | 280        | 0.22       |
| 950        | 80.44      | 780        | 1.35       | 610        | 0.07       | 440        | 91.02      | 270        | 0.00       |
| 940        | 84.71      | 770        | 1.01       | 600        | 0.11       | 430        | 90.20      | 260        | 0.00       |
|            |            |            |            |            |            |            |            | 250        | 0.00       |